JJJJJHOS 2020 PRODUCTION NOTES



JUDD HQQS

INPUT LIST

#	CHANNEL INPUT	MIC	STAND TYPE
1	Kick - Inside	Senheiser E901	
2	Kick - Outside		Short Boom
3	Snare Top	Senheiser 905	Senheiser Clip
4	Snare Bottom	Senheiser 905	Senheiser Clip
5	High Hat	AKG C430	LP Claw
6	Tom 1	Senheiser 905	Senheiser Clip
7	Tom 2	Senheiser 905	Senheiser Clip
8	Tom 3	Senheiser 905	Senheiser Clip
9	Floor Tom	Senheiser 905	Senheiser Clip
10	OH L	AKG C430	Tall Boom
11	OH R	AKG C430	Tall Boom
12	Drum Roland SPD SX	DI	
13	Roland SPD SX - L	DI	
14	Roland SPD SX - R	DI	
15			
16	Click - Monitors Only		
17	Bass	DI	
18	Acoustic Guitar	DI	
19	Tyler guitar		
20	Andy Guitar		
21			
22	Chris Vocal	Shure Betta 87	Tall Boom
23	Andy Vocal	Shure Betta 87	Tall Boom
24	Shane Vocal	Shure Betta 87	Tall Boom
25	Tyler Vocal	Senheiser 937	Tall Boom
31	Stage Talk Back	Shure Betta 87	Tall Boom
32	Shane Talk Back	Shure Betta 87	Tall Boom

PRODUCTION NOTES

The band consists of 4 members: Tyler: Vocals, Guitar, Trumpet Andy: Guitar, Vocals, Roland SPD SX Chris: Bass, Vocals Shane: Drums, Vocals, Roland SPD SX


Judd Hoos carries it's own discreet monitor mixer, in-ear monitor system,microphones, and stands. The band provides all mics and wireless units.

The band runs intro music prior to sets from a trigger pad on stage. Two talk back mics are used on stage to communicate to everyone on stage and front of house crew members. An additional talk back mic is used at the front of house position to communicate from front of house to stage.

In most cases Judd Hoos will use it's own Midas M 32 front of house mixer.



Office: 1-800-689-7469 Emergency Cell: 605-347-1236 Shane.Funk@TheHomeSliceGroup.com



JUDDHOOS AUDIO STAGE PLOT

JUDDHOOS RISERS, STAGE POSITIONS, AND BACKDROPS

drum banner 24" tall x 8". accommodate this. The be provided that can one 19'x10' backdrop band also travels with a truss or pipe must performance. An upstage the entirety of the that will be hung for Judd Hoos travels with **BACKDROPS & BANNER**

RISERS

provide drum riser. by venue. Judd Hoos can All risers must be provided

TRUSS

discretion. sections at the bands attaches to the 12' truss wide truss is used to hang are ground stacked. A 25' the 19' mesh banner and two 12' truss sections that Judd Hoos travels with

